## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices



# **Send for List of Surp** VERY SPECIAL PR



Fall, 1909—Spring, 1910

## WHOLESALE PRICE-LIST


# Kelsey's Rhododendrons Azaleas and other Strictly Hardy American Plants

Grown in the Carolina Mountains at 3,800 feet elevation

HIGHLANDS NURSERY, "Kawana," Saginaw P. O.

North Carolina

and SALEM BRANCH NURSERY, Salem, Mass.



Rhododendron catawbiense. The Highlands Nursery way of growing bushy clumps, 15 to 50 stems Photographed at our Salem Branch Nursery

#### **TERMS**

TERMS cash or satisfactory reference from unknown parties. Accounts due first of each month, unless by special arrangement. 5 at 10 rates; 50 at 100 rates.

PACKING charged at cost.

SEND FOREIGN REMITTANCES by Postal Money Order, drawn on Salem, Mass., postoffice; or by New York or Boston Exchange. An American dollar equals 4 shillings, 4 marks, or 5 francs.

CLAIMS must be made on receipt of goods. If there is any mistake or fault on our part, it will be gladly rectified. All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Always address.

HARLAN P. KELSEY, Owner
Cable Address
KELMONT-SALEM
SALEM, MASS., U. S. A.

## Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and eastern points are quick and rates low.

SALEM BRANCH NURSERY SHIPMENTS are made from Salem direct, and our special price-list must be used in ordering. Prices are about 25 per cent higher than for similar stock at our main Highlands Nursery. A fine stock of specimen Rhododendrons, Azaleas, Conifers, etc., may be seen at Salem Branch Nursery, and deliveries to eastern points rarely take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE AND RHO-DODENDRON PUNCTATUM come only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned hardiness.

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years and know how to pack.

DESCRIPTIVE ILLUSTRATED CATALOGS free on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

## HARLAN P. KELSEY, Owner

Cable Address KELMONT-SALEM

SALEM, MASS.

September and October is the time to successfully ship and plant Lilies, Trilliums and Cypripediums

## Trees, Shrubs and Vines

### **DECIDUOUS AND EVERGREEN**

NOTE—Cl., Denotes Clumps; S., Seedlings; Col., Collected. All other plants are transplanted and nursery-grown.

Bear in mind this is a catalog of Nursery-grown plants and not a list of plants that might be collected. Over 100 acres in nursery.

Abies balsamea. 2 to 3 ft\$3 00	100	1,000
3 to 4 ft 4 00	400 00	
concolor. 1 to 2 ft	\$20 00	
fraseri. 6 to 12 in 50	4 00	\$32 00
1 to 2 ft	8 00	60 00
3 to 4 ft		
Acer negundo. 2 to 4 ft	5 00	
Acer negundo.         2 to 4 ft	6 00	
2 to 3 ft	12 00 16 00	
4 to 5 ft	24 00	
saccharum. 6 to 12 in	1 50	10 00
1 to 2 ft	3 00 4 00	18 00 30 00
3 to 4 ft 75	6 00	00 00
4 to 6 ft	8 00 16 00	
6 to 8 ft	4 00	
1 to 2 ft 75	6 00	48 00
2 to 3 ft	12 00	
Adelia acuminata. 2 to 3 ft 3 00		
<b>AEsculus octandra.</b> 1 to 2 ft	3 00 6 00	
Alnus alnobetula (viridis). 2 to 3 ft	6 00	
3 to 4 ft 1 00	8 00	
4 to 6 ft	15 (0	
6 to 8 ft	24 00 12 00	
4 to 6 ft 2 00	15 00	
6 to 8 ft 4 00	30 00	
Amelanchier botryapium. 6 to 12 in 50	4 00 6 00	
1 to 2 ft	8 00	
3 to 4 ft	12 00	
4 to 6 ft	15 00	
canadensis. 2 to 3 ft	0.00	
<b>Amorpha fruticosa.</b> 1 to 2 ft	3 00 4 00	
montana. 1 to 2 ft	-000	
Ampelopsis. See Parthenocissus.		
Andromeda arborea. See Oxydendrum.		
catesbaei. See Leucothoe.		
floribunda. 6 to 12 in 6 00	48 00	
12 to 18 in. Cl	80 00 120 00	
ligustrina. See Xolisma.	013	
mariana. See Pieris. racemosa. 12 to 18 in	12 00	
Aralia spinosa. 2 to 3 ft	8 00	
3 to 4 ft 1 25	10 00	
Aristolochia sipho. 6 to 12 in 75	6 00	50 00
1 to 2 ft	10 00	
Aronia (Pyrus) arbutifolia. 6 to 12 in	6 00 10 00	
erythrocarpa. Dwarf. 2 to 3 ft	12 00	
3 to 4 ft		
erythrocarpa. Tall variety. 1 to 2 ft 1 50 2 to 3 ft 3 00		
melanocarpa. 1 to 2 ft 2 00		
2 to 3 ft	5 00	40 00
2 to 3 ft 1 25	10 00	40 00
3 to 4 ft. Cl 2 50	20 00	
Ascyrum hypericoides. 6 to 12 in. Cl 2 00		

TREES SHRURS AND VINES continued

TREES, SHRUBS AND VINES. continue		
Azalea arborescens. Fragrant Tree Azalea. Per 10	\$12 00	1,000
6 to 12 in	18 00	\$95 00 160 00
18 to 24 in	25 00	
2 to 3 ft	65 00 50 00	
18 to 24 in. Cl	100 00	
2 to 3 ft. Cl	200 00 325 00	
canescens. 12 to 18 in	20 00	
12 to 18 in		
6 to 12 in 1 00	8 00	
12 to 18 in 1 75	15 00	130 00
18 to 24 in	18 00	160 00 300 00
2 to 3 ft	35 00 60 00	300 00
12 to 18 in. Cl	22 00	
18 to 24 m. Cl	40 00 65 00	350 00
3 to 4 ft. Cl	150 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0.00	
12 to 18 in	8 00 12 00	
18 to 24 in	20 00	
2 to 3 ft	30 00 25 00	
18 to 24 in. Cl	35 00	
2 to 3 ft. 4 00 12 to 18 in, Cl 3 00 18 to 24 in, Cl 450 2 to 3 ft. Cl 650 3 to 3 ft. Cl 650	50 00	
3 to 3\% ft. Cl	14 00	
12 to 18 in 2 50	20 00	
18 to 24 in	36 00	
12 to 18 in. Cl	70 00 40 00	
18 to 24 in. Cl 8 00	65 00	
viscosa. 6 to 12 in	8 00 10 00	
18 to 24 in	20 00	
6 to 12 in. Cl	12 00	
3 to 3½ ft. Cl. 10 00  vaseyi. 6 to 12 in. 175  12 to 18 in. 2 50  18 to 24 in. 450  12 to 18 in. 10. 500  12 to 18 in. Cl. 500  18 to 24 in. Cl. 800  viscosa. 6 to 12 in. 100  12 to 18 in. 125  18 to 24 in. 25  6 to 12 in. Cl. 500  12 to 18 in. 15  12 to 18 in. 15  12 to 18 in. 70  13 to 24 in. 70  14 to 15 in. 70  15 to 16 in. 70  16 to 17 in. 70  17 to 18 in. 70  18 to 24 in. 70  18 to 24 in. 70  18 to 24 in. 70	28 00	
Baccharis halimifolia. 2 to 3 ft		
Benzoin (Lindera) benzoin, 2 to 3 ft 1 50	12 00	
<b>Benzoin (Lindera) benzoin.</b> 2 to 3 ft	16 00	
4 to 5 ft		
Berberis aquifolium.       3 to 6 in.       2 50         thunbergii.       1 to 2 ft.       1 00         2 to 3 ft.       1 50	8 00	
2 to 3 ft	12 00	
3 to 4 ft	4 00	32 00
3 to 4 ft. 3 00 vulgaris, 6 to 12 in. 50 1 to 2 ft. 75 2 to 3 ft. 125	6 00	
2 to 3 ft	10 00	
4 to 6 ft		
lenta. 1 to 2 ft 50	4 00	
2 to 4 ft	6 00	
6 to 8 ft 2 00	16 00	
8 to 10 ft	2 00 6 00	
4 to 6 ft	10 00	
6 to 8 ft	16 00	100 00 200 00
4 to 6 ft. 125 6 to 8 ft. 200 8 to 10 ft. 350 papyrifera. 2 to 3 ft. 75	28 00 6 00	200 00
5 10 5 10 1 25	10 00	
Butneria (calycanthus) fertilis. 1 to 2 ft 75	6 00 8 00	
3 to 4 ft. Cl	16 00	
floridus. 1 to 2 ft	6 00	40 00 75 00
2 to 3 ft. Cl. 1 00 3 to 4 ft. Cl. 2 00 <b>floridus.</b> 1 to 2 ft. 75 2 to 3 ft. Cl. 150 3 to 4 ft. Cl. 2 00	16 00	75 00
Bignonia crucigera. 6 to 12 in	6 00	48 00
Cacti. Hardy species as below-		
Cactus missouriensis, Echinocactus Simpsonii, Echinocereus viridiflorus,		
Opuntia arenaria, O. camanchia, O. major, O. mesacantha cymochilla, O.		
major, U. mesacantha cymochilla, O. mesacantha greenii. O. polyacantha 3 00	25 00	
mesacantha greenii, O. polyacantha 3 00 Echinocactus "Perpetual Snow" 5 00	-5 50	
C-1		

Calycanthus. See Butneria.

TREES, SHRUBS AND VINES, continued		
Cominus conclinions (americans) 14-9 ft #0.50	100	1,000
Carpinus caroliniana (americana). $1 \text{ to } 2 \text{ ft} \$0 50$ 2  to  3  ft 75	\$4 00 6 00	
3 to 4 ft	10 00	\$80 00
4 to 6 ft	14 00	100 00
6 to 8 ft 2 50	20 00	150 00
Castanea pumila, Chinkapin. 6 to 12 in. S 50	4 00 8 00	30 00
12 to 18 in. S	8 00 12 00	60 00
12 to 18 in	12 00	
6 to 12 in	4 00	
	5 00	
4 to 6 ft	6 00	
Ceanothus americanus. 6 to 12 in 75	6 00	
Cebatha carolina. 4 to 12 in 75	6 00	
Celastrus punctata. 6 to 12 in. S 50	4 00	39 00
1 to 2 ft	6 00 8 00	
2 to 3 ft	5 00	
1 to 2 ft 75	6 00	
Cephalanthus occidentalis. 1 to 2 ft 1 00	8 00	
2 to 3 ft 1 50	12 00	The same
5 to 4 1t	16 00	
Cerasum (Prunus) virginicum. 4 to 6 ft 1 00	8 00	
Cercis canadensis. 6 to 12 in 50	4 00	
1 to 2 ft	6 00	
12 to 18 in. Cl	12 00	
12 to 18 in. Cl. 1 50 18 to 24 in. Cl. 2 50	20 00	
Chamaecyparis sphaeroidea. 1 to 2 ft 1 50		
Chionanthus virginica. 1 to 2 ft 1 00	8 00	64 00
2 to 3 ft. 1 75 3 to 4 ft. 2 25 4 to 6 ft. 4 50	14 00 18 00	110 00
4 to 6 ft	36 00	
Clethra acuminata. 1 to 2 It	6 00	
2 to 3 ft	8 00	
	14 00	
4 to 6 ft	20 00 12 00	
2 to 3 ft. Cl	20 00	
1	50 00	
Chitomic - Business		
Comptonia peregrina (asplenifolia). 1 to 2 ft. 75	6 00	
Cornus alternifolia.       1 to 2 ft	4 00 8 00	
amomum. 2 to 3 ft	6 00	
2 40 4 84	10 00	
4 to 6 ft	12 00	
1   1   1   1   1   1   1   1   1   1	10 00	
2 to 3 ft	10 00	
siberica. 3 to 4 ft		
stolonifera. 1 to 2 ft	P	
Corylus americana. 1 to 2 ft. Cl	9 00	
2 to 3 ft. Cl	4 00	
1 to 2 ft 75	6 00	
2 to 3 ft	10 00	
Crataegus coccinea. 1 to 2 ft	8 00	
2 to 3 ft. 1 25 3 to 4 ft. 1 75  crus-galli. 1 to 2 ft. 1 00	14 00	
crus-galli. 1 to 2 ft	8 00	
2 to 3 ft	12 00 16 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 50	20 00
1 to 2 ft. S 50	4 00	30 00
2 to 3 ft. S	6 00	45 00
3 to 4 ft. S	8 00 6 00	
2 to 3 ft 1 00		
	8 00	
3 to 4 ft	14 00	
3 to 4 ft	14 00 24 00	
3 to 4 ft. 1.75 4 to 5 ft. 300 Cupressus arizonica. 1 to 2 ft. S. 3 50	14 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 00 24 00 28 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 00 24 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 00 24 00 28 00	

TREES, SHRUBS AND VINES, continued		
Per 10  Dendrium prostratum. 3 to 6 in. Cl	\$12 00	1,000
Diervilla diervilla (trifida). 6 to 12 in 1 00	16 00 8 00	
12 to 18 in	12 00	
rivularis. 2 to 3 ft. Cl.       3 00         sessilifolia. 1 to 2 ft.       1 00         2 to 3 ft.       2 00	8 00	
Diospyros virginiana.         6 to 12 in	6 00 10 00	
Euonymus americanus.       2 to 3 ft.       1 50         3 to 4 ft.       2 50         radicans.       4 to 12 in.       1 00	12 00	
radicans. 4 to 12 in	8 00 4 00	
3 to 4 ft. 1 00 4 to 6 ft. 1 25	8 00 10 00	
lanceolata (viridis).       2 to 4 ft.       50         4 to 6 ft.       1 25	4 00 10 00	\$30 00 80 00
6 to 8 ft. 1 75 oregona. 1 to 2 ft. 2 50	14 00	
2 to 3 ft		
Gaylussacia resinosa. 1 to 2 ft	10 00	
ursina. 1 to 2 ft	20 00	
Hamamelis virginica.       1 to 2 ft.       1 00         2 to 3 ft.       1 50	8 00 12 00	
3 to 4 ft. 2 00 4 to 6 ft. 3 00	16 00 24 00	
Humulus lupulus 75	5 00	40 00
<b>Hydrangea arborescens.</b> 6 to 12 in	8 00 12 00	
2 to 3 ft. 2 00 radiata. 6 to 12 in. 1 25		
1 to 2 it	8 00	
2 to 3 ft	12 00 16 00	
densiflorum.       1 to 2 ft.       50         2 to 3 ft.       75	4 00 6 00	30 <b>0</b> 0 50 00
Hypericum aureum.   1 to 2 ft.	8 00	
3 to 4 ft. 2 00	12 00	
Ilex decidua.     6 to 12 in.     75       1 to 2 ft.     1 25       2 to 3 ft.     1 75	6 00 10 00	
2 to 3 ft	14 00 6 00	
2 to 3 ft	8 00 12 00	
opaca. American Holly. 6 to 12 in	12 00 16 00	
0   0   0   0   0   0   0   0   0   0	30 00 48 00	
3 to 4 ft	8.00	
2 to 3 ft. Cl	15 00 20 00	
Itea virginica.       6 to 12 in.       75         1 to 2 ft.       1 25	6 00 10 00	
2 to 3 ft		
Juniperus sabina. 6 to 12 in	8 00	
virginiana. 3 to 4 ft	16 00	
12 to 18 in. Cl	24 00	
Nursery-grown. 3 to 6 in	3 00 5 00	20 00 35 00
9 to 12 in	8 00 12 50	60 00 100 00
18 to 24 in. 3 00 2 to 3 ft. 5 00	25 00 40 00	200 00
Collected Plants 2 to 6 in	1 50 2 50	15 00 20 00
6 to 9 in	4 00 7 00	30 00 50 00
18 to 24 in	10 00	80 00

6

#### TREES, SHRUBS AND VINES, continued

	Per :\$3 5	10 100	1,000
Kalmia latifolia. Clumps. 9 to 12 in	\$3 5	0 \$25 00	
12 to 18 in	5 (	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	)
18 to 24 in	17 8	50 140 00	
Collected clumps. 12 to 18 in,	3 5	50 30 00	
2 to 3 ft.  Collected clumps. 12 to 18 in.  18 to 24 in.  2 to 3 ft.	6 0		
Larix laricina (americana). 3 to 4 ft	2 5		)
4 to 6 ft. 6 to 8 ft.	4 (		
Ledum groenlandicum. 12 to 18 in			,
Leiophyllum. See Dendrium.	1	0 12 0	,
Leucothoe (Andromeda) catesbaei.  Bushy Plants. 6 to 12 in.  12 to 18 in.  18 to 24 in.		75 6 00	50 00
12 to 18 in	1 2	25 10 00	
18 to 24 in Collected Plants. 6 to 12 in	2 (	00 16 00	)
Collected Plants. 6 to 12 in	5	50 3 50	
12 to 18 in	1 (	00 6 00	
Clumps 6 to 19 in	1 5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Clumps. 6 to 12 in	3 0		
18 to 24 in. Collected Clumps. 6 to 12 in	3 8	50 30 00	
Collected Clumps. 6 to 12 in	1 7	75 15 00	
		00 12 00	
18 to 24 in recurva. 6 to 12 in	3 (	00 20 00 75 6 00	
1 to 2 ft	1 2	25 10 00	
Ligustrum ibota. 1 to 2 ft		50 3 00	
2 to 3 ft	7	5 6 00	
3 to 4 ft. regelianum. 1 to 2 ft.	1 (	00 8 00	)
regelianum. 1 to 2 ft	5	50 3 00	
2 to 3 ft	1 2	75 6 00 25 <b>1</b> 0 00	
3 to 4 ft.	1 4	20 10 00	,
Lindera. See Benzoin.			
Liquidambar styraciflua. 3 to 4 ft	$\dots$ $\frac{1}{2}$ $\frac{5}{2}$	50 10 00 50	)
4 to 6 ft. 6 to 8 ft.	3 !	50	
Liriodendron tulipifera. 2 to 3 ft		00 8 00	
3 to 4 ft	$1 \frac{1}{2}$	5 10 00	
4 to 6 ft	1 7	5 14 00	
6 to 8 ft	2 5	50	
Lonicera dioica. 2 to 3 ft	1 0	00 8 00	
3 to 5 ftjaponica, var. halliana. Light	1 5	50 10 00	
japonica, var. namana. Light	5	50 4 00 75 <b>6 0</b> 0	
Strong sempervirens. 6 to 12 in	1 6	00 8 00	
1 to 2 it	1 6	50 12 00	
Magnolia acuminata. 1 to 2 ft. S	5	0 4 00	)
2 to 3 tr S		5 6 00	
fraseri. 1 to 2 ft. 2 to 3 ft.	1 (	00 8 00	
2 to 3 it	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 6 ft	2	50 20 00	
3 to 4 ft. 4 to 6 ft. 6 to 8 ft.	3 5	50	
glauca thompsoniana. 1 to 2 ft	2 (	00 16 00	)
glauca thompsoniana. 1 to 2 ft	3 5	50 5 <b>0 12</b> 00	0
2 to 3 ft	$\ldots$ $\stackrel{1}{2}$ $\stackrel{\circ}{0}$	00 12 0	
5 to 4 1b	4 :	50 20 <b>0</b> 0	)
Malus (Pyrus) coronaria. 1 to 2 ft	2 (	00 16 00	0
2 to 3 ft	3 :	50	
Menziesia pilosa.       1 to 2 ft.         1 to 2 ft.       Cl.         2 to 3 ft.       Cl.	1 (	00 8 0	
1 to 2 ft. Cl	2 (	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2 to 3 It. Ul	5 (	00 24 00	,
Mohrodendron carolinum (Halesia tetrera). 1 to 2 ft	ap.	25 10 0	0
2 to 3 ft	1 7	75 14 00	
2 to 3 ft	2 5	50 20 00	)
Myrica cerifera. 6 to 12 in	7	75 6 00	
12 to 18 in	1 3	50 12 00	)
Nesaea. See Decodon.			
Nyssa multiflora. 6 to 12 in	2 (	00	
1 to 2 ft	3 (	00 50	
			,
Ostrya virginica. 1 to 2 ft	1 (	00 8 00 50 12 00	
2 to 3 ft	$\frac{1}{2}$	00 12 00	

TREES, SHRUBS AND VINES,	conti	nue	d	
0	Pε	r 10	100	1,00
Oxydendrum (Andromeda) arboreum.	41	75	\$6 00	\$48 00
3 to 6 in. 6 to 12 in.	]	00	8 00	65 00
1 to 2 it		1 90	12 00	95 00
2 to 3 ft 3 to 3½ ft	}	2 00 3 00	16 00	
Danth on a singular (A	*			
2-year   3-year   3		75	6 00	45 00
3-year	1	25	10 00	70 00
virginica. Strong	٠	75	6 00 10 00	
Picea canadensis (alba), 6 to 12 in	1	00	8 00	
1 to 2 ft	i	50	12 00	
2 to 3 ft	2	50	20 00	
marana (mgra), 1 to 2 tt	1	50	6 00 12 00	
3 to 4 ft	2	50	20 00	
pungens (seedlings). 12 to 18 in	4	00	30 00	
2 to 3 ft	19	00	45 00	
Pieris floribunda. See Andromeda.				
Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. Cl.	2	00	16 00	
2 to 3 ft. Cl	3	50		
Pinus banksiana. 8 to 10 ft,	6	00	40 00	30 00
12 to 18 in. S		75	6 00	45 00
6 to 12 in	1	00	8 00	60 00
1 to 2 ft	1	50	12 00 16 00	90 00
flexilis, 6 to 12 in	1	50	10 00	
Pinus banksiana. 8 to 10 ft, divaricata. 4 to 12 in. S. 12 to 18 in. S. 6 to 12 in. 1 to 2 ft. 2 to 3 ft. flexilis. 6 to 12 in. 1 to 2 ft. mitis. 1 to 2 ft.	3	00		
		50 50		
		00	8 00	
2 to 3 ft	ī	50	12 00	90 00
3 to 4 ft	$\frac{1}{2}$	00 50	16 00 28 00	
rigida. 6 to 12 in.	1	00	8 00	
2 to 3 ft	1	50	12 00	90 00
<b>strobus</b> . 6 to 12 in. 2 to 3 ft. 3 to 4 ft.	$\frac{1}{2}$	00	8 00 16 00	60 00
3 to 4 ft	3	50	28 00	
4 to 6 ft. 6 to 8 ft.	6	50	50 00	400 00
			100 00	800 00
Prunus besseyi. 1 to 2 ft	2	00	8 00	
2 to 3 ft	î	50	12 00	
maritima. 1 to 2 ft	1	00	$\frac{8}{12} \frac{00}{00}$	
Pseudotsuga taxifolia (Abies douglasii).	1	50	12 00	
6 to 12 in		75	6 00	48 00
6 to 12 in. 1 to 2 ft.	1	75	14 00	110 00
2 to 2½ ft	2		20 00	
Ptelia trifoliata. 2 to 3 ft	• •	50 70	4 00 5 00	
4 to 6 ft	1	00	8 00	
Pyrus americana. See Sorbus.				
Pyrus americana. See Sorbus. arbutifolia. See Aronia. coronaria. See Malus. nigra. See Aronia.				
nigra. See Aronia.				
Quercus alba. 6 to 12 in		75	6 -00	
Quercus alba.         6 to 12 in.           1 to 2 ft.           bannesteri.         1 to 2 ft.	1	00	8 00	
bannesteri. 1 to 2 ft	2	00 75	14 00	
4 to 6 ft	3		28 00	200 00
6 to 8 ft	5		40 00	
bannesteri. 1 to 2 ft. coccinea. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft. laurifolia. 6 to 12 in. macrocarpa. 2 to 3 ft. 3 to 4 ft. palustris. 3 to 4 ft. 4 to 6 ft. 6 to 8 ft.	2	00 50		
3 to 4 ft	3			
palustris. 3 to 4 ft.	1	50	12 00	
4 to 6 ft. 6 to 8 ft.	2	50 50	20 00 28 00	
prinus. 1 to 2 ft	2	00	20 00	
<b>prinus.</b> 1 to 2 ft	3	00		
3 to 4 ft.	4 (		16 00	
rubra. 2 to 4 ft. 4 to 6 ft.	4 (	00	30 00	
6 to 8 ft	6 (			
Rhamnus caroliniana (alnifolia). 2 to 3 ft	1	00		

8

#### TREES, SHRUBS AND VINES, continued

#### RHODODENDRON CATAWBIENSE

This is not the common imported "seedling Catawbiense" so-called, which is a half-hardy hybrid with little true **Catawbiense** blood in it. The true **Catawbiense** grows only in the high southern Alleghenies and is the **finest of all Rhododendrons** considering its extreme hardiness and remarkable texture of foliage—a deep shiny green, far superior to Maximum.

To maximum. For massing there is no hardy broad-leaved evergreen equal to it for the northern United States. It is a free-bloomer, with large, bright red-purple trusses, in marked contrast to the blue-purple of the half-hardy hybrid noted before All plants are bushy with balls (except collected seedlings) and clumps have diameter corresponding to height with many stems, and are mostly heavily budded. The larger clumps for center of mass-planting should not be feathered to the ground for best effects, but have thick bushy tops. Special selections are charged for extra and we can supply perfect specimens for any situation.

Rhododendrons are the basis of any successful mass planting for winter effects. If you don't know how to advise your customers so they may grow them successfully as common shrubs, write us. There is a secret, and 24 years' experience in growing cricaceous plants enables us to "tell how." Our stock cannot be duplicated elsewhere in quantity or quality. Freight rates from southern points are reduced and we gladly quote you to any point, and give the information you want about "car-lots."

Rhododendron catawbiense.	Pe	r 10	1	100	1,	000
Nursery-grown, Bushy Plants. 3 to 6 in	\$0	50	\$4	00	\$30	00
6 to 9 in	1	00	- 8	00	65	00
9 to 12 in	1	50	12	00	95	00
12 to 18 in	2	25	18	00	160	00
18 to 24 in	3	50	28	00		
Collected Plants, 3 to 6 in		40	2	00	15	00
6 to 9 in		75	5	00	40	00
9 to 12 in	1	00	7	00	60	00
12 to 18 in	1	50	10	00	85	00
Nursery-grown Clumps. 6 to 9 in			20	00		
9 to 12 in			30	00		
12 to 18 in			60	00	480	00
18 to 24 in			100	00	900	00
2 to 3 ft			160	00	1250	00
3 to 4 ft			300			00
4 to 5 ft			and 1	IDV	rard	
Collected Clumps. 9 to 12 in,	. 2	25		00	180	00
12 to 18 in				00	325	
18 to 24 in				00	450	
2 to 3 ft				00	800	
3 to 4 ft			180		1700	
4 to 5 ft				00	1100	00
maximum. Nursery-grown, Bushy Plants.		00	000	00		
3 to 6 in		40	9	50	20	00
6 to 9 in		60		50		00
9 to 12 in.		00		00		00
12 to 18 in				50	100	
18 to 24 in			20		180	
			40		100	UU
2 to 3 ft	. 0	00		50	1.5	00
6 to 9 in		50		50	20	
		75		00	35	
9 to 12 in				00	50 50	
12 to 18 in		50				
Nursery-grown Clumps. 9 to 12 in.			10 30		90	UU
Nursery-grown Clumps. 9 to 12 in	. 3	00	45			
12 to 18 in	. 0	00				
18 to 24 in			70			
2 to 3 ft			115	00		
3 to 4 ft	. 30	50	20	00	940	00
Collected Clumps. 12 to 18 in			30		240	
18 to 24 in			45		400	
2 to 3 ft			70		600	
3 to 4 ft			140		1000	00
4 to 5 ft			200			
5 to 6 ft	. 50	00	400	00		
punctatum. Nursery-grown Plants.		0"	40	00		
6 to 9 in		25	10			
9 to 12 in			15			
12 to 18 in			25			
18 to 24 in	. 5	00	40			
Nursery-grown Clumps. 12 to 18 in	. 8	00	60			
12 to 24 in			120			
2 to 3 ft			240	00		
3 to 4 ft	. 50	00				
vaseyi. See Azalea vaseyi.						
thodora canadensis. 6 to 12 in	. 2	00				
		50	4	00		
chodotypus kerrioides. 6 to 12 in		-)0	4	00		

R R

IRLES, SHRUBS AND VINES, continued	d	
Rhus aromatica.         6 to 12 in.         Per 10           12 to 18 in         2 50	100 \$12 00	1,00
12 to 18 in	20 00	
<b>copalina.</b> 6 to 12 in	.6 00 10 00	
2 to 3 ft	14 00	
(counus) cotinoides. 2 to 8 ft\$7.50 to 30 00 hirta. 1 to 2 ft	8 00	
12 to 18 in.   2 50	12 00	
Ribes cynosbati. 1 to 2 ft	8 00	
prostratum. 6 to 12 in	8 00	
Ribes cynosbati.       1 to 2 ft.       1 00         prostratum.       6 to 12 in.       1 00         1 to 2 ft.       1 50         rotundifolia.       2 to 3 ft.       1 50	12 00	
Robinia hispida. 1 to 2 ft	6 00	
2 to 3 ft	8 00	
1 to 2 ft	$\frac{12}{20} \frac{00}{00}$	
rosea. 6 to 12 in	10 00	
3 to 4 ft		
<b>Rosa arkansana.</b> 6 to 12 in		
blanda. 6 to 12 in	8 00	
1 to 2 ft	10 00 4 00	\$30 0
1 to 2 ft 75	6 00	48 0
2 to 2½ ft	8 00 6 00	
12 to 18 in 1 25	10 00	
lucida. 12 to 18 in	10 00	
nitida. 6 to 12 in	8 00	
1 to 2 ft		
pesocarpa. 1 to 2 ft	6 00	
rugosa. 1 to 2 ft	10 00	
nutkana. 6 to 12 in     2 00       pesocarpa. 1 to 2 ft     2 00       rugosa. 1 to 2 ft     75       2 to 3 ft     1 25       setigera. 2 to 3 ft     1 00       woodsii. 6 to 12 in     2 50	8 00	60 00
	4 00	30 00
cuneifolius. 12 to 18 in		
dumetorum.       1 to 2 ft.       2 50         laciniatus.       1 to 2 ft.       2 00		
odoratus. 6 to 12 in	4 00	30 00
1 to 2 ft	6 00	50 00
spectabilis. 6 to 12 in	16 00	10.00
Sambucus canadensis. 1 to 2 ft. Col.         40           pubens (racemosa). 1 to 2 ft.         1 00	3 00 8 00	18 00
2 to 3 it 2 00		
<b>Sassafras officinale.</b> 2 to 3 ft 2 50 3 to 4 ft	28 00	
4 to 5 ft 5 00	<b>40</b> 00	
Sorbus (Pyrus) americana. $1 \text{ to } 2 \text{ ft.}$	6 00 10 00	
3 to 4 ft	16 00 24 00	
Spiraea opulus. 1 to 2 ft	8 00	
2 to 3 ft		
3 to 4 ft,	4 00	
3 to 4 ft. Cl 1 00	8 00	
4 to 5 ft, Cl	16 00 8 00	
2 to 2½ ft	12 00	
tomentosa alba. 1 to 2 It	8 00	
Sterculia plantanifolia. 1 to 2 ft 1 50		
	8 00	
1 to 2 ft	16 00	
2 to 3 ft	28 00 40 00	
4 to 6 ft	80 00	
Symphoricarpus racemosus.         6 to 12 in.         50           1 to 2 ft.         75	4 00 6 00	
symphoricarpus (vulgaris). 1 to 2 ft 75	6 00 8 00	
Tecoma (Bignonia) grandiflora. Strong 2 50		
radicans, 6 to 12 in	6 00	

TREES, SHRUBS AND VINES, continu	ed	
Per I		1,000
Thuja occidentalis. 1 to 2 ft	50 <b>\$</b> 4 00 8 00	\$30 00 60 00
3 to 4 ft		90 00
2 to 3 ft. 1 0 3 to 4 ft. 1 5 4 to 6 ft. 2 5	0 20 00	160 00
		100 00
Tilia heterophylla. 3 to 4 ft		
Tilia heterophylla. 3 to 4 ft.       2 0         4 to 6 ft.       3 0         Tsuga canadensis. Hemlock. 6 to 12 in.       7         12 to 18 in.       1 0         18 to 24 in.       2 0         2 to 25 ft.       2 0		
Tsuga canadensis, Hemlock 6 to 12 in	5 6 00	45 00
12 to 18 in		65 00
18 to 24 in 2 0	0 16 00	140 00
2 to 3 ft	50 28 00	250 00
3 to 4 ft 6 0	0 60 00	450 00
2 to 3 ft. 3 5 3 to 4 ft. 6 0 4 to 5 ft. 10 0	0 80 00	700 00
5 to 6 ft	0 120 00	
5 to 6 ft	00 200 00	
caroliniana. Carolina Hemlock. 12 to 18 in 2 5	0 40 00	
2 to 3 ft 19.5	50 100 00	
3 to 4 ft	00 200 00	
4 to 5 ft	00 320 00	
5 to 6 ft	0 600 00	
6 to 7 ft\$10 each		
caroliniana.     Carolina Hemlock.     12 to 18 in.     2 to 3 ft.       2 to 3 ft.     12 to 3 ft.     12 to 3 ft.       3 to 4 ft.     25 to 3 ft.     12 to 3 ft.       4 to 5 ft.     40 to 5 ft.     40 to 5 to 6 ft.       6 to 7 ft.     \$10 each       Vaccinium corymbosum.     6 to 12 in.     1 2 to 18 in.       12 to 18 in.     2 2 to 18 in.     2 2 to 18 in.       12 to 18 in.     2 5 to 12 in.     2 5 to 12 in.       12 to 18 in.     2 5 to 12 in.     2 5 to 12 in.       12 to 18 in.     10 to 12 in.     2 6 to 12 in.       12 to 18 in.     1 2 to 18 in.     1 2 to 18 in.       12 to 18 in.     1 2 to 18 in.     1 2 to 18 in.       12 to 18 in.     1 2 to 18 in.     1 2 to 18 in.	25 10 00	
12 to 18 in 2 2	25 18 00	
12 to 18 in. Cl 4 0	00 32 00	
erythrocarpon. 1 to 2 ft	50 12 00	
hirsutum. 6 to 12 in	50	
12 to 18 in 3 5	50 75 6 00	45.00
macrocarpon. Mountain Cranberry. Clumps.	00 0	45 00
19 to 18 in Cl 9 (	00 8 00 00 16 00	
nannsylvanieum 6 to 19 in 1 9	25 10 00	
stamineum. 6 to 12 in	00 8 00	
12 to 18 in	5 10 00	
18 to 24 in. Cl 3 (	00 24 00	
2 to 3 ft. Cl 5 (		
Viburnum acerifolium, 1 to 2 ft 7	5 6 00	
2 to 3 ft 1 5		
1 to 2 ft. Cl 1 7	5 14 00	
2 to 3 ft. Cl 2 0		
alnifolium. 1 to 2 ft	5 14 00	
2 to 3 ft, 3 0	00 24 00	
	00	
1 to 2 ft	75 6 00	50 <b>0</b> 0
	50 12 00 75 14 00	95 00
3 to 4 ft	00 16 00	
4 to 6 ft		
3 to 4 ft. Cl		
4 to 6 ft. Cl 7 0	0 55 00	
dentatum. 6 to 12 in	75 6 00	
1 to 2 ft 1 (		
2 to 3 ft		
3 to 4 ft 2 0		
lantana. 1 to 2 ft	50	
molle. 2 to 3 ft	00 50 28 00	
nudum. 1 to 2 ft		
2 to 3 ft	50	
3 to 4 ft 2 (	00	
arrangement (appulyer) 2 to 2 ft		
3 to 4 ft 2 (	00 16 00	
4 to 6 ft 4 (	00	
prunifolium. 1 to 2 ft 2 (		
3 to 4 ft. 2 ( 4 to 6 ft. 4 (  prunifolium. 1 to 2 ft. 2 ( 2 to 3 ft. 4 (		
Vitis aestivans. 0 to 12 m		
	50 00 8 00	
1 to 2 ft 15	50 8 00 50	
1 to 2 ft	50	
lahwagaa 1 to 9 ft	00 8 00	
	50 12 00	
monticola. 2 to 3 ft 2 (	00	
Wistaria frutescens. 1 to 2 ft 1 (	00	
2 to 3 ft 1 5		
Xanthorrhiza apiifolia. 3 to 6 in 5	0 4 00	30 00
6 to 12 in	5 00	40 00
	6 00	45 00
6 to 12 in. Cl		60 00
12 to 18 in. Cl	0 12 00	<b>9</b> 5 00
Xolisma ligustrina. 1 to 2 ft	00 8 00	

## HARDY HERBACEOUS PERENNIALS

Including Vines, Ferns, Aquatics, Orchids, Lilies and Bulbous Plants

		er 10	100	1,000
Aconitum reclinatum				
uncinatum		75	<b>\$5 0</b> 0	
Acorus calamus		75	6 00	
Actaea alba	••	1 50	12 00	
rubra		2 00	16 00	
Adiantum pedatum. Strong Cf		1 00	8 00	
Allium cernuum. Strong		1 00		
tricoccum			0.00	
Amsonia amsonia. Cl.		75	6 00	
Angelica curtisii		50	4 00	
Aquilegia canadensis. Cl	٠.	75 1 00	6 00 8 00	
Aralia nudicaulis		50	4 00	
quinquefolia. See Panax.	• •	50	4 00	
racemosa. Strong Cl		75	6 00	
Archangelica hirsuta		75	6 00	
Arisaema triphyllum		75	6 00	
Artemisia gracilis		2 00		
Aruncus (Spiraea) aruncus		75	6 00	
Asclepias tuberosa	1	00	8 00	
Aspidium. See Dryopteris.				
Asplenium filix-foemina. Strong		75	6 00	
thelypteroides		75	6 00	
Aster, in variety, -cordifolius, curtisii, divar				
icata, ericoides pilosa, macrophylla puniceus, umbellatus	ι,	75	4 00	\$30 00
porterii	1	00	¥ 00	φου σο
Astilbe decandra		75	5 00	
Athyrium thelypteroides. Strong		75	6 00	
Baptisia australis. Strong Cl	. 1	. 00	8 00	
tinctoria. Strong		75	6 00	
Bicuculla (Dicentra) canadensis		75	5 00	
cucullaria		75	5 00	
eximia. Clumps			8 00	
Botrychium virginicum	•	75	5 00	
Calapogon. See Limodorum.		05	10.00	
Caltha leptosepala. Marsh Marigold. Strong			10 00	
Calypso borealis			8 00 8 00	
Carex fraseri. Clumps			8 00	
Cassia marylandica		50	4 00	
Caulophyllum thalictroides. Col		75	5 00	
Chamaelirium luteum		75	6 00	
Chelone glabra and lyoni. Clumps		75	6 00	
Chrysamphora (Darlingtonia) californica			0 00	
Chrosperma muscaetoxicum		50	4 00	
Cicuta maculata		50	4 00	
Cimicifuga americana		75	6 00	
racemosa		60	5 00	
Clematis coccinea		50		
crispa		00		
virginiana. Strong Strong Col.		75	5 00	10 410
Clintonia borealis and umbellata		60	5 00	12-\$18
Collinsonia canadensis. Strong		60	5 00	
Convallaria majalis		50	4 00	
Coreopsis lanceolata. Clumps		60	5 00	
major. Clumps		75	6 00	
roseus. Clumps		60	5 00	35 00
verticillata		60	5 00	
Cypripedium acaule. Light		50	3 00	20 00
Strong	1	00	8 00	50 00

#### HARDY HERBAGEOUS PERENNIALS, continued 100 1 000 \$15 00 Cypripedium californicum ..... \$2 00 pripedium californicum \$2 00 californicum. Samall Cluups 500 fasiculatum 200 fasiculatum 150 Strong 100 montanum 125 parvillorum 100 parvillorum 100 reginae (spectabile). 1 to 2 crowns 400 5 to 6 crowns 700 35 00 15 00 \$25 00 8 00 60 00 10 00 8 00 15 00 35 00 Darlingtonia. See Chrysamphora. 35 00 Dicksonia punctilobula. Clumps..... 5 00 Dionaea muscipula. Venus Fly-trap............ 1 00 6 00 5 00 8 00 Diphylleia cymosa ..... 8 00 Disporum lanuginosum ...... 1 00 Dryopteris acrostichoides angustifolia 1 goldiana Strong 1 marginalis 1 novaboracensis 1 25 00 5 00 50 8 00 00 5 00 35 00 75 00 8 '00 5 00 35 00 75 spinulosa ..... 8 00 15 00 40 00 5 00 6 00 Erythronium albidum ...... 1 00 americanum.... 50 50 californicum .....californicum, White Beauty..... 2 00 15 00 20 00 cation mean, white Beauty citrinum grandiflorum hartweggii hendersonii revolutum. White, tinged purple Mixed Varieties 20 00 60 50 20 00 50 00 15 00 3 00 25 00 30 00 80 50 2 00 75 5 00 8 00 Euphorbia corollata..... 75 6 00 Ferns. See Adiantum, Asplenium, Athyrium Botrychium, Dicksonia, Dryopteris, Onoclea, Osmunda, Phegopteris Polypodium, Pteris, Woodwardia. Galax aphylla. Est. Cl. Col. Cl. Gautheris programbers. Col. Cl. ..... 1 00 75 Gaultheria procumbens. Col. Cl..... 5 00 30 00 Gillenia. See Porteranthus. Glechoma (Nepeta) hederacea. Col..... 4 00 20 00 50 Gentiana andrewsii. Light..... 50 3 00 20 00 4 50 35 00 Strong.... 60 4 00 25 00 Geum radiatum ..... 1 00 8 00 Goodyeara. See Peramium. Habenaria ciliaris 75 psycodes 1 00 6 00 45 00 8 00 4 00 Helenium autumale. Col. Cl. .... 20 00 Helianthus strumosus..... 50 4 00 30 00 50 4 00 30 00 Helonias bullata ..... 5 00 Hepatica acuta..... 75 5 00 Heuchera americana and villosa..... Hibiscus, crimson-eye, moscheutos, rose-5 00 pink ..... 50 4 00 4 00 Houstonia purpurea and serpyllifolia. Col. . . 25 00 50 Hydrastis canadensis. Golden Seal ..... 75 6 00

30 00

7 00 50 00

50 4 00

1 25

Humulus lupulus. Col.....

Ipomoea pandurata.....

Iris cristata. Clumps...... 1 00

#### HARDY HERBACEOUS PERENNIALS, continued

Iris missouriensis. Strong	er 10	100	1,000
Iris missouriensis. Strong pseudacorus. Clumps	φ1 UU	\$8 00 6 00	
verna. Clumps	75	5 00	\$40 00
versicolor. Clumps	75	5 00	<b>410 00</b>
Lacinaria (Liatris) pilosa. Strong	1 00	(49)	
pycnostachya	75	6 00	
spicata	60	5 00	
spicata pumila squarrosa	75	6 00	
squarrosa	1 00		
Leptandra virginica	1 00		
Leucocrinum montanum	2 00		
Liatris. See Lacinaria.			
	5 00	35 00	
canadense, var. flava. 2d size	50	3 00	25 00
1st size	75	5 00	40 00
lst size canadense, var. rubra	1 00	8 00	60 00
carolinianum. 3d size	50	3 50	25 00
2d size	75	5 00	40 00
1st size	1 00	8 00	65 00
columbianum grayi. 2d size	2 00 75	15 00 6 00	45 00
1st size	1 25	9 00	70 00
humboldtii. 7 to 8 in. cir		15 00	110 00
8 to 9 in. cir	2 50	18 00	130 00
9 in. and over	5 00	35 00	200 00
humboldtii, var. magnificum		35 00	
humboldtii, var. bloomerianum	3 00	20 00	
kellogmii	5 00	35 00	
maritimum pardalinum. 1 eye 2 eyes. pardalinum, var. johnsonii	3 00	20 00	
pardalinum. 1 eye	1 25	9 00	50 00
2 eyes	1 50	10 00	
pardalinum, var. jonnsonii	3 00 5 00	18 00 35 00	
parryii. Medium	7 00	50 00	
parviflorum		12 50	
parvum. Good	3 00	20 00	
Large. parvum, var. luteum. philadelphicum	5 00		
parvum, var. luteum	1 75	12 00	10.00
philadelphicum	75 2 50	5 00	40 00
		18 00 35 00	
rubescens superbum. 1st size	75	5 00	40 00
2d size	50	3 00	25 00
3d size	30	1 50	10 00
washingtonianum, var. purpureum.			
7 to 8 in	2 00	15 00	11.0 00
8 to 9 in	3 00	20 00	130 00
9 to 15 in		35 00	
Limodorum (Calopogon) tuberosum	1 00	7 00	
Lobelia cardinalis, syphilitica	75	5 00	
Medeola virginicum	75		
Melanthium parviflorum, virginicum	75	5 00	
Menispermum canadense. Moonseed	50	4 00	
	1 00	8 00	
Mertensia virginica			
Mitchella repens. Est. Cl. Col. Cl.	1 25 75	10 00 5 00	40 00
	1 00	6 00	40 00
Monarda didyma		6 00	
In var.		0 00	
Nuphar advena	1 50		V MOV
Onoclea sensibilis	75	5 00	40 00
Orchis spectabilis	1 50		
Orontium aquaticum. Golden Club		10 00	
		10 00	
Osmunda cinnamomea, claytoniana,		7 00	
regalis		7 00	
Oxycoccus macrocarpon. See Vaccinium			
Panax (Aralia) quinquefolium, Ginseng.	MALLE	1	
XX size	4 00	35 00	
X size	2 50	20 00 11 00	
1st size	1 00	7 00	
2d size	60	4 00	35 00
	WILLIE .	12 50	THE PARTY OF
Peramium (Goodyeara) pubescens. Col			
Phegopteris hexagonoptera	75	6 00	

#### HARDY HERBACEOUS PERENNIALS, continued

	Per 10	100	1,000
Phlox maculata. Clumps	.\$1 00	\$10.00	
Subulata alba. Clumps	. 1 25	\$10 00 4 00	\$30 00
Physostegia virginiana Podophyllum peltatum	. 50	4 00	30 00
Polygonatum biflorum		4 00	00 00
commutatum. Extra heavy	. 75	6 00	50 00
2 yr. S	. 50	4 00	25 00
Polygonum eilinode		3 00	20 00
Polypodium vulgare. Col	. 50	4 00	25 00
Porteranthus (Gillenia) stipulatus	. 75	6 00	45 00
Ptoris aguiling	. 75	6 00	45 00 20 00
Pyrola rotundifolia. Col	. 1 00	8 00	20 00
Rhexia virginica		6 00	45 00
Sagittaria latifolia		3 00	10 00
Sanguinaria canadensis, Bloodroot, Strong		4 00	20 00
Sanguinaria is shipped entirely at consig			TOTAL STORY
Sarracenia catesbaei, drummondii, flavo			
psittacina, purpurea, rubra	. 1 50	12 00	
Saxifraga micranthidifolia, michauxii		6 00	
Scrophularia marylandica		36,34	
Sedum telephioides. Strong	. 75	6 00	
ternatum. Col	. 50	25 00	
Shortia galacifolia. 1st size	. 1 50	12 00	90 00
Silene stellata	. 75	5 00	
virginica		8 00	
Solidago canadensis, bootii, bicolor, erecta	,		
glomerata,nemerocalis,odora patula, pallida, pubens, ru	-		
gosa, rupestris	. 75	5 00	
Sparganium ramosum		2 00	
Spigelia marylandica	. 2 00	15 00	
Stachys aspera		4 00	
Steironema ciliatum	. 60	4 00	
Stenanthium robustum. Mt. Feather Fleed	e. 1-		
The finest new hardy perennial. In troduced by Highlands Nursery. Sen	d		
for special circular.	. 50	4 00	30 00
1-yr. S. 3d size		7 00	50 00
2d size	. 1 50	12 00	
1st size	. 2 50	20 00	
Stokesia cyanea	. 75	6 00	
Thalietrum dioicum	. 60	4 00	
Thermopsis caroliniana	. 1 00	8 00	
rhombifolia, 1-yr. S	. 1 50		
Therofon aconitifolia. Clumps	. 50	4 00	
Tradescantia montana	. 75	5 00	
Trautvetteria carolinensis	. 50	4 00	
erectum. Erect Wake Robin. Light	. 75	5 00 2 00	12 50
Strong	. 30	3 00	20 00
erectum album. Light	. 1 00	4 50 7 00	30 00
Strong	. 20	1 00	8 00
Strong	. 40	2 50	15 00
ovatum	. 50	3 50 8 00	25 00
nivale recurvatum	. 1 00	8 00 5 00	
sessile, var. californicum	. 80	6 00	40 00
sessile, var. Snow Queen	. 80	6 00	40 00
stylosum. Light	. 40	2 50	20.00
Strongundulatum	. 75	5 00	30 00
Triosteum perfoliatum	. 50	4 00	30 00
Typha angustifolia	. 2 00		
latifolia	. 1 00	8 00	
Unifolium canadense	50	4 00	

#### HARDY HEBACEOUS PERENNIALS, continued Per 10 100 1.000 \$5 00 Uvularia perfoliata..... 5 00 Vagneria racemosa. Strong..... 5 00 Veratrum viride. Strong..... 75 5 00 Vinca minor. Col..... 60 4 00 \$30 00 Vernonia novaboracensis. Col................................. 1 00 7 00 Veronica officinalis and serpyllifolia ...... 50 4 00 Viola canadensis, hastata, pedata 75 pedata bicolor 1 50 sagittata 1 00 5 (0 12 00 Woodwardia virginica ...... 1 00 Yucca filamentosa ... cca filamentosa 75 filamentosa, var. concava. Strong Cl. 2 00 flaccida. Light 50 Clumps 1 00 5 00 16 00 18 00 3 00 8 00 glauca. Strong ...... 1 00 8 00

Xerophyllum asphodeloides. Clumps...... 1 25

Always Address

## HARLAN P. KELSEY, Owner, SALEM, MASS.

10 00

12 00



The hardiest Hybrid Rhododendrons, growing at Salem Branch Nursery